

Be prepared.



AL-82857

## Emergency Series Data Sheet

AL-82857, AL-82861, AL-82862

Scitec emergency telephones help prepare your facilities to meet the communications needs of staff and customers when time matters most. Choose the AL-82857 with full-length red emergency faceplate or red AL-82861 or AL-82862 desk and wall sets.

## HIGHLIGHTS

- One-Line Telephone
- Full-Length Red Emergency Faceplate (AL-82857)
- Dual NEON/LED Message Waiting Light (AL-82857)
- Wall Mount Bracket Sold Separately (AL-82857)
- RJ11 Data Port (AL-82857/AL-82861)
- Industrial Grade Construction with Matte or Gloss Finish Design
- Non-Slip Base
- Compatible with All Major PABX Systems
- Volume Control Toggle Key (AL-82857)
- 4 Step Handset Volume Control (AL-82857)
- High/Low Ringer Volume Control (AL-82857/AL-82861)
- HAC-Compatible Handset
- ADA-Compliant Volume Control
- Available in Ash or Black (AL-82857) or Red (AL-82861/AL-82862)
- 5 Year Warranty



AL-82861



AL-82862

# CONFIGURATIONS

## Single-Line Telephone

AL-82857

AL-82861 Desk Set

AL-82862 Wall Set

## PRODUCT INFORMATION

### Installation Includes

RJ11 Line Cords 12 ft/3.66 m

Handset Coil Cord 10 ft/3.05 m

Optional Wall Mount Bracket (not included) (AL-82857)

### Line, MW, and Ringer Specification

Line Voltage—Auto-Detect

Line Current 20mA-80mA

Auto-Detect for 90VDC Neon or Low Voltage LED Applications (AL-82857)

Ringer Equivalence—0.6B (AL-82857)

Ringer Equivalence—1.1B (AL-82861 and AL-82862)

### Unit Dimensions

8.75" (l) x 4.0" (w) x 4.5" (h) (AL-82862)

9.0" (l) x 8.75" (w) x 5.0" (h) (AL-82861)

8.75" (l) x 6.0" (w) x 2.75" (h) (AL-82857)

### Packaging Weight

Master Pack Quantities of 12 Units, 31lbs/14.06kg (AL-82857)

Master Pack Quantities of 8 Units, 24lbs/10.89kg (AL-82861/AL-82862)

### Certifications

FCC Part 68, FCC Part 15 & UL 1459 Ref.

ADA/FCC Hearing Aid Compliant



[info@alcosales.com](mailto:info@alcosales.com) | 800.323.4282 | [www.alcosales.com](http://www.alcosales.com)

