

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

1 Identification

· Product Identifier

- · Trade Name: Hand Sanitizer made with Isopropyl alcohol
- · Product Number: EPA Distributor Company #96105
- Relevant identified uses of the substance or mixture and uses advised against:

This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

Product Description:

For personal use Satisfies FDA/WHO/CDC guidelines for Hand Sanitizer

• Details of the Supplier of the Safety Data Sheet:

Manufacturer/Supplier:

Shaman Botanical Inc. 2405 Southwest Blvd Kansas City, MO 64108 Phone: 855-427-7386 Fax: 816-817-0165 email: Corporate@CBDamericanshaman.com Website: www.CBDAmericanShaman.com • *Emergency telephone number:* 816-835-9639

Hazard(s) Identification

Classification of the substance or mixture:

Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements:

• Hazard pictograms:





OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/01/2020

Issue date 04/01/2020

(Contd. on page 2)

Trade Name: Hand Sanitizer made with Isopropyl alcohol

- · Signal word: Danger
- · Hazard statements:

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

Precautionary statements:

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P233 Keep container tightly closed.
- P241 Use explosion-proof electrical/ventilating/lighting/equipment.
 - and the second se

P264 Wash thoroughly after handling.P280 Wear protective gloves/protective clothing/eye protection/face protection.


P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

- 0 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

 HEALTH
 Image: Constraint of the sector with the sector withe sector with the sector with the sec

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

Non-hazardous com	ponents:	
7732-18-5 Water, dist	illed water, deionized water	Balance%
Chemical characteriz Description: Mixture Dangerous Compone	of substances listed below with non-hazardous additions.	
- ·		000/
CAS: 67-63-0	Isopropyl alcohol 99.8%	80%
RTECS: NT 8050000	Flam. Liq. 2, H225; Eye Irrit. 2A, H319; STOT SE 3, H336	
CAS: 56-81-5 RTECS: MA 8050000	Glycerol	1.45%



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Reviewed on 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

	3% Hydrogen peroxide (stabilized)	0.125%
RTECS: MX0887000	Ox. Liq. 1, H271; Skin Corr. 1A, H314; Acute Tox. 4, H302; Acute Tox. 4,	
	<u>H332</u>	

4 First-Aid Measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: If skin irritation occurs, consult a doctor.
- · After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor. If easy to do so, remove contact lenses if worn.

If eye irritation occurs, consult a doctor.

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor

(Contd. on page 3)

· Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:
- Do not use a solid water stream as it may scatter and spread fire.

Cool closed containers exposed to fire with water spray.

Flash back possible over considerable distance.

May form explosive mixtures in air.

Exposure to decomposition products may be a hazard to health. Carbon

oxides

· Advice for firefighters

· Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

• Personal precautions, protective equipment and emergency procedures:

Use personal protective equipment.

Ensure adequate ventilation.

Remove all sources of ignition.

Evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Material can create slippery conditions.

Environmental precautions:

Dilute with plenty of water.

Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

[•] Most important symptoms and effects, both acute and delayed: No further relevant information available.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/01/2020

Issue date 04/01/2020

Trade	Nar	ne: H	and	Sar	nitizer	made	with	Isopi	ropyl	alcohol	
		-	-				-			-	

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose of the collected material according to regulations.

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

·	PAC-1:
---	--------

67-63-0	Isopropyl alcohol 99.8%	400 ppm
56-81-5	Glycerol	45 mg/m³
7722-84-1	3% Hydrogen peroxide (stabilized)	10 ppm
· PAC-2:		
	Isopropyl alcohol 99.8%	2000* ppm
67-63-0	Isopropyl alcohol 99.8% Glycerol	2000* ppm 180 mg/m³
67-63-0 56-81-5		

PAC-3:

67-63-0	Isopropyl alcohol 99.8%	12000** ppm			
56 91 5	Glycerol	1,100 mg/m ³			
50-61-5	Giyceror	1,100 mg/m			
7722-84-1	3% Hydrogen peroxide (stabilized)	100 ppm			
	7 Handling and Storage				

· Handling

Precautions for safe handling:
 For personal protection see section 8.
 Keep away from heat and flame.
 Use with local exhaust ventilation.
 Avoid contact with eyes.

 Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.
 Protect from heat.
 Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles:

Take measures to prevent the build up of electrostatic charge.

Keep in properly labelled containers.

Keep containers tightly closed in a dry, cool and wellventilated place.

Store in accordance with the particular national regulations.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Reviewed on 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

- · Control parameters:
- · Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituents have no known exposure limits.

67-63-0 Isopropyl alcohol 99.8%

- PEL Long-term value: 980 mg/m³, 400 ppm
- REL Short-term value: 1225 mg/m³, 500 ppm Longterm value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

56-81-5 Glycerol

PEL Long-term value: 15* 5** mg/m³

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

(Contd. on page 5)

Ingredients with biological limit values:

67-63-0 Isopropyl alcohol 99.8%

BEI 40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

· Exposure controls:

- Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- · Breathing equipment: Not required.
- · Protection of hands: Not required.
- Material of gloves: Not applicable.
- · Penetration time of glove material: Not applicable.
- Eye protection:



Tightly sealed goggles

· Limitation and supervision of exposure into the environment: None

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Color: Liquid Clear



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

Trade Name: Hand Sanitizer made with Is	
· Odor: · Odor threshold:	Slight alcohol Not determined.
· pH-value:	Not determined.
•	Not determined.
· Change in condition	
Melting point/Melting range: Boiling point/Boiling range:	Not determined. ≥78 °C (≥172.4 °F)
· Flash point:	25 °C (77 °F)
· Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	≥425 °C (≥797 °F)
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not self-igniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor
Danger of explosion.	mixtures are possible.
	(Contd. on page 6)
• Explosion limits:	
Lower:	≥3.5 Vol %
Upper:	≤15 Vol %
· Vapor pressure @ 20 °C (68 °F):	≤59 hPa (≤44.3 mm Hg)
· Density @ 20 °C (68 °F):	0.8363 g/cm³ (6.9789 lbs/gal)
· Relative density:	Not determined.
· Vapor density:	Not determined.
• Evaporation rate:	Not determined.
 Solubility in / Miscibility with: 	
Water:	Fully miscible.
 Partition coefficient (n-octanol/water): Viscosity: 	Not determined.
-	N
Dynamic: Kinematic: ·	Not determined. Not determined.
Solvent content:	Not determined.
Organic solvents:	81.5 %
VOC content:	80.00 %
Solids content:	0.0 %
• Other information:	No further relevant information available.
10 Stability and Reactivity	

· Reactivity: No further relevant information available.

· *Chemical stability:* Product is stable under normal conditions.

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials: Strong oxidizing agents
- · Hazardous decomposition products: No dangerous decomposition products known.

1 Toxicological Information

· Information on toxicological effects:



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 04/01/2020

Issue date 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

· LD/LC50	values that are	relevant for classification:
67-63-0 ls	opropyl alcoho	ol 99.8%
Oral	LD50	5,045 mg/kg (Rat)
Dermal	LD50	12,800 mg/kg (Rabbit)
Inhalative	LC50/4 h	30 mg/l (Rat)
	LC50/96 hours	9,640 mg/l (Pimephales)
56-81-5 G	lycerol	
Oral	LD50	12,600 mg/kg (Rat)
Dermal	LD50	>10,000 mg/kg (Rabbit)
Inhalative	LC50/96 hours	>50,000 mg/l (Trout)

· Primary irritant effect:

- · On the skin: No irritating effect.
- On the eye: Irritating effect.
- · Additional toxicological information:

(Contd. on page 7)

3

3

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories:

· IARC (International Agency for Research on Cancer):

The IARC (the International Agency for Research on Cancer) concluded that ethanol found alcoholic beverages to be Group 1 - Carcinogenic to humans. All other instances it is not consider carcinogenic.

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 2B - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans Group

4 - Probably not carcinogenic to humans

67-63-0 Isopropyl alcohol 99.8%

7722-84-1 3% Hydrogen peroxide (stabilized)

• NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- Aquatic toxicity:

67-63-0 Isopropyl alcohol 99.8%

EC50 6,851 mg/l (Green algae)

5,102 mg/l (Water flea)

· Persistence and degradability: No further relevant information available.

· Behavior in environmental systems:

- · Bioaccumulative potential: No further relevant information available.
- *Mobility in soil:* No further relevant information available.
- Additional ecological information:

CBD American Shaman

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Reviewed on 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

· General notes:

Do not allow undiluted product or product that has not been neutralized to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · *Recommendation:* Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 8)

4 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, IMDG, IATA
- UN proper shipping name:
- · DOT
- · ADR/ADN
- ·IMDG
- · IATA
- Transport hazard class(es):





· Class:	3 Flammable liquids
· Label:	3

3

3

UN1170

Ethanol mixture

ETHANOL mixture

UN1170 ETHANOL (ETHYL ALCOHOL) mixture

ETHANOL (ETHYL ALCOHOL) mixture

· ADR/ADN



3 (F1) Flammable liquids



· Class:





Class:
 Label:
 Packing group:
 DOT, ADR/ADN, IMDG, IATA
 Environmental hazards:

III Not applicable.

3 Flammable liquids



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

rican Shaman	
Reviewed on 04/01/2020	Issue date 04/01/2020
Reviewed 0/1 04/0 1/2020	
Trade Name: Hand Sanitizer made with Isoprop	
 Special precautions for user: 	Warning: Flammable liquids
Hazard identification number (Kemler code)	
· EMS Number:	F-E,S-D
 Stowage Category Transport in bulk according to Annex II of 	A
MARPOL73/78 and the IBC Code:	Not applicable.
• Transport/Additional information:	
· DOT	
· Quantity limitations:	On passenger aircraft/rail: 60 L
	On cargo aircraft only: 220 L
	(Contd. on page 9)
· ADR/ADN	
Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
· IMDG	Maximum net quantity per outer packaging: 1000 ml
Limited quantities (LQ):	5L
• Excepted quantities (EQ):	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1170 ETHANOL (ETHYL ALCOHOL) MIXTURE, 3, III
15 Regulatory Information	
· Safety, health and environmental regulation	ns/legislation specific for the substance or mixture:
SARA (Superfund Amendments and Reauth	
 Section 355 (extremely hazardous substand 	ces):
7722-84-1 3% Hydrogen peroxide (stabilized)	
Section 313 (Specific toxic chemical listing	s):
67-63-0 Isopropyl alcohol 99.8%	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients are listed.	
California Proposition 65:	
WARNING: This product can expo	ose you to chemicals including the listed chemicals which are
	cause cancer, birth defects and/or other reproductive harm. For
more information, go to www.P65W	
· Chemicals known to cause cancer:	
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxi	city for females:
None of the ingredients are listed.	
· Chemicals known to cause reproductive toxi	city for males:
None of the ingredients are listed.	
• Chemicals known to cause developmental to	xicity:
None of the ingredients are listed.	
V	



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Reviewed on 04/01/2020

· New Jerse	ey Right-to-Know List:	
67-63-0	Isopropyl alcohol 99.8%	
56-81-5	Glycerol	
7722-84-1	3% Hydrogen peroxide (stabilized)	
· New Jerse	ey Special Hazardous Substance List:	
67-63-0	Isopropyl alcohol 99.8%	F3
7722-84-1	3% Hydrogen peroxide (stabilized)	CO, MU, R3
· Pennsylva	nia Right-to-Know List:	
67-63-0	Isopropyl alcohol 99.8%	
		(Contd. on page 10
56-81-5	Glycerol	
7722-84-1	3% Hydrogen peroxide (stabilized)	
· Pennsylva	nia Special Hazardous Substance List:	
67-63-0	Isopropyl alcohol 99.8%	E
7722-84-1	3% Hydrogen peroxide (stabilized)	E
· Carcinoge	nic categories:	
-	onmental Protection Agency):	
None of the	ngredients are listed.	
· TLV (Thre	shold Limit Value established by ACGIH):	
67-63-0	Isopropyl alcohol 99.8%	A4
7722-84-1	3% Hydrogen peroxide (stabilized)	A3
NIOSH-Ca (National Institute for Occupational Safety and Health):	
None of the	ngredients are listed.	
• GHS label The product • Hazard pic	t is classified and labeled according to the Globally Harmonized Systen	n (GHS).
H319 Caus	atements: y flammable liquid and vapor. es serious eye irritation.	
P210	nary statements: Koop away from boat/sparks/open flames/bot surfaces No.sm	oking
P210 P233	Keep away from heat/sparks/open flames/hot surfaces No sm Keep container tightly closed.	iuniiy.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.	
P264	Wash thoroughly after handling.	

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P337+P313 If eye irritation persists: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/01/2020

Reviewed on 04/01/2020

Trade Name: Hand Sanitizer made with Isopropyl alcohol

- National regulations:
- None of the ingredients are listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose. \cdot **Date of last revision/ revision number:** 04/01/2020 / 2

(Contd. on page 11)

Abbreviations and acronvms: ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety and Health OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL: Recommended Exposure Limit BEI: Biological Exposure Limit** Flam. Liq. 2: Flammable liquids - Category 2 Ox. Lig. 1: Oxidizing liquids - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 · * Data compared to the previous version altered. SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106