

EP3

5" (AL-41499) Only For Hill Rom Bed



Anti-Microbial Wheels BUY 11 GET 1 FREE!

Polyuretha	ne Whee	els		Roller Bearing		Precision Bearing			
Wheel Dia.	heel Dia. Tread Load		Hub	Bearing	Bearing	ALCO	Price	ALCO	Price
(Inches)	Width	Cap.	Length	I.D.	Туре	Part No	Each	Part No.	Each
3	1-1/4	300	1-1/2	3/8	Annular Ball	AL-75870	\$8.95	AL-75879	\$8.95
3-1/2	1-1/4	360	1-1/2	3/8	Annular Ball	AL-75871	\$8.95	AL-75880	\$8.95
4	1-1/4	400	1-1/2	3/8	Annular Ball	AL-75872	\$9.95	AL-75881	\$8.95
4	2	600	2-3/16	3/4	Roller	AL-75873	\$14.95	N/A	N/A
F	1-1/4	440	1-1/2	3/8	Annular Ball	AL-75874	\$10.95	AL-75882	\$9.95
5	2	750	2-3/16	3/4	Roller	AL-75875	\$33.95	N/A	N/A
6	2	900	2-3/16	3/4	Roller	AL-75876	\$36.95	N/A	N/A
8	2	1000	2-3/16	3/4	Roller	AL-75877	\$42.95	N/A	N/A
10	2-1/2	1500	3-1/4	1	Roller	AL-75878	\$49.95	N/A	N/A
10	2-1/2	1500	3-1/2	1	N/A	N/A	N/A	AL-75883	\$58.95

Anti-Microbial



AL-75873

Xtra-Soft Flat Grey Tread (Light Duty)												
Wheel Dia.	Tread	Load	Hub	Bearing	Bearing	ALCO	Price					
(Inches)	Width	Cap.	Length	I.D.	Туре	Part No.	Each					
3	1-1/4	200	1-1/2	1/2	Delrin	AL-75884	\$8.95					
3-1/2	1-1/4	250	1-1/2	1/2	Delrin	AL-75885	\$8.95					
4	1-1/4	300	1-1/2	1/2	Delrin	AL-75886	\$8.95					
5	1-1/4	325	1-1/2	1/2	Delrin	AL-75887	\$9.95					
6	1-1/4	325	1-1/2	1/2	Delrin	AL-75888	\$10.95					

Xtra-Soft F	Xtra-Soft Flat Grey Tread (Medium Heavy Duty)											
Wheel Dia.	Tread	Load	Hub	Bearing	Bearing	ALCO	Price					
(Inches)	ches) Width Cap. Length I.D.		I.D.	Туре	Part No.	Each						
			2-3/16	3/4	Delrin	AL-75889	\$14.95					
4	2	350	2-3/16	3/4	Roller	AL-75890	\$21.95					
			2-7/16	1/2	Precision Ball	AL-75891	\$43.95					
		2 375	2-3/16	3/4	Delrin	AL-75892	\$19.95					
5	2		2-3/16	3/4	Roller	AL-75893	\$24.95					
			2-7/16	1/2	Precision Ball	AL-75894	\$33.95					
		600	2-3/16	3/4	Delrin	AL-75895	\$20.95					
6	2	600	2-3/16	3/4	Roller	AL-75896	\$29.95					
		500	2-7/16	1/2	Precision Ball	AL-75897	\$60.95					
8	2	075	2-3/16	3/4	Delrin	AL-75898	\$33.95					
		675	2-3/16	3/4	Roller	AL-75899	\$30.95					
	2	500	2-7/16	1/2	Precision Ball	AL-75900	\$46.95					

Xtra-Soft Round Grey Tread (Light Duty)											
Wheel Dia.	Tread	Load	Hub	Bearing	Bearing	ALCO	Price				
(Inches)	Width	Cap.	Length	I.D.	Туре	Part No.	Each				
3	1-1/4	200	1-1/2	3/8	Precision	AL-75901	\$8.95				
3-1/2	1-1/4	250	1-1/2	3/8	Precision	AL-75902	\$8.95				
4	1-1/4	300	1-1/2	3/8	Precision	AL-75903	\$8.95				
5	1-1/4	325	1-1/2	3/8	Precision	AL-75904	\$9.95				

Xtra-Soft Round Grey Tread (Medium Heavy Duty)

			•		·		
Wheel Dia.	Tread	Load	Hub	Bearing	Bearing	ALCO	Price
(Inches)	Width	Cap.	Length	I.D.	Туре	Part No.	Each
			2-3/16	3/4	Delrin	AL-75905	\$24.95
6	2	450	2-3/16	3/4	Roller	AL-75906	\$23.95
			2-7/16	1/2	Precision Ball	AL-75907	\$37.95
		600	2-3/16	3/4	Delrin	AL-75908	\$33.95
8	2	000	2-3/16	3/4	Roller	AL-75909	\$29.95
		500	2-7/16	1/2	Precision Ball	AL-75910	\$46.95
10	2-1/2	850	3-1/4	1	Delrin	AL-75911	\$59.95

How does it work?

The compound used in the wheels is designed to suppress the growth of a variety of destructive an odor causing microbes such as bacteria, molds, mildew and fungi.

How long does the protection last?

It is engineered to be effective against microbes for the life of the wheel. The agent remains stored in the polymer and is gradually released to the surface of the wheel.

Does the anti-microbial wheel eliminate the need for cleaning?

No. Although it provides an added level of protection, these wheels do not eliminate the need for normal cleaning practices.

Is it safe?

Yes. The active ingredients have undergone

extensive lab testing and have been proven safe. The active ingredient has a history of hospital use for more than 25 years. Applications

- Healthcare and Medical
 Food processing
 Clean rooms
- Scientific and Research
- 🖊 Chemical
- Pharmaceutical







AL-75906

689



Performa Rubber Flat Tread Wheels by Colson Capacity up to 325 lbs Each



EP3

BUY 11 GET 1 FREE!



Thermoplastic cushion rubber tread bonded to polyolefin core. Tread is precision molded and mechanically locked in, around and through a ribbed extension of the core to prevent debonding. Polyolefin core assures high impact strength and light weight. Standard colors are dark grey tread on light grey core. Resistant to most chemicals, solvents, water and acids. Temperature range: -45°F to + 120°F. Hardness: 75 (±5) Durometer Shore A scale. Spanner bushing included with wheel.

				Without I	Bushing	With B	ushing		
Wheel Dia. (Inches)	Tread Width (Inches)	Load Capacity (Ibs)	Wheel Bearing Type	Bearing Bore (Inches)	Hub Length (Inches)	Bore (Inches)	length (Inches)	ALCO Part No.	Price Each
1 ⁵ ⁄8	7/8	60	Delrin	5⁄16	1-1/32	-	-	AL-14835	\$3.95
			Delrin	5⁄16	1-1/32	-	-	AL-14836	\$2.95
2	7/8	75	Ball	5/16	1-3/32	-	-	AL-17729 (Soft Tread)	\$9.95
		100	Ball	5/16	1-3/32	-	-	AL-17730 (Hard Tread)	\$9.95
2 ¹ / ₂	41/	140	Delrin	1/2	I-7/16	3⁄8	1-1/2	AL-14837	\$5.95
Z /2	1¼	140	Ball	3⁄8	1-1/2	-	-	AL-14838	\$9.88
3	7/8	125	Delrin	7⁄16	1-1/32	5⁄16	1-7⁄64	AL-14839	\$4.95
3 ¹ / ₂	a1/	250	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-14840	\$7.95
J /2	1¼	250	Ball	3⁄8	1-1/2	-	-	AL-14841	\$10.95
	7/8	135	Delrin	7⁄16	1-1/32	5⁄16	1-7⁄64	AL-14842	\$7.95
4	41/	300	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-14843	\$8.95
	1¼	300	Ball	3⁄8	1-1/2	-	-	AL-14844	\$14.18
	7/8	145	Delrin	7⁄16	1-1/32	5⁄16	1-7⁄64	AL-16390	\$8.95
5	a1/	325	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-16391	\$10.95
	1 ¼	325	Ball	3⁄8	1-1/2	-	-	AL-16392	\$14.95

Performa Rubber Round Tread Wheels by Colson



Capacity up to 500 lbs Each

Grey tread balloon wheels are made of a non-marking rubber which offers quiet operation and high shock absorption for fragile loads. Wheel core lightweight, durable. Ideally suited for light industrial, commercial and institutional uses. Temperature range: -45°F to +180°F. Hardness: 65(±5) Durometer Shore A scale; 60(±5) Durometer Shore A scale 65(±5). Ball bearings are radial type. Spanner bushing included with wheel.

				Wheel		With B	lushing		
Wheel Dia. (Inches)	Tread Width (Inches)	Wheel Bearing Type	Load Capacity (lbs)	Bearing Bore (Inches)	Hub Length (Inches)	Bore (Inches)	length (Inches)	ALCO Part No.	Price Each
3¹/2 1 ⁵ /16	15/0	Delrin	210	1/2	1-7/16	3⁄8	1-1/2	AL-16370	\$12.95
3 /2	∎ /16	Ball	210	3⁄8	1-1/2	—	_	AL-16371	\$14.95
5	1 ⁵ ⁄16	Delrin	250	1/2	1-7/16	3⁄8	1-1/2	AL-16372	\$14.95
`	∎ /16	Ball	250	3⁄8	1-1/2	—	—	AL-16373	\$19.95
		Delrin	450	3⁄4	2-3⁄16	1/2	2-7/16	AL-16374	\$20.95
6	2	Roller	450	3⁄4	2-3⁄16	1/2	2-7/16	AL-16375	\$20.95
		Ball	450	1/2	2-7/16	_	_	AL-16376	\$20.95
		Delrin	600	3⁄4	2-3⁄16	1/2	2-7/16	AL-16378	\$22.95
8	2	Roller	600	3⁄4	2-3⁄16	1/2	2-7/16	AL-16379	\$24.95
		Ball	500	1/2	2-7/16	—	—	AL-16380	\$28.95

690

Performa Rubber Flat Tread Wheels by Colson Capacity to 1700 lbs Each colson[°]

Wheel

Thermoplastic cushion rubber tread bonded to polyolefin core. Tread is molded in, around and through a ribbed extension of the core to prevent debonding. Standard colors are dark grey tread on light grey core. Resistant to most chemicals, solvents, water and acids. Temperature range: -45°F to +180°F. Hardness: 95 (±5) Durometer Shore A scale. Not recommended for

With Bushing

BUY 11 GET 1 FREE!

conditions of continuous operation such as tow-line, etc.



Buyli RE Get 1

						usining				
Wheel	Tread	Load		Bearing	Hub					
Dia	Width	Capacity	Bearing	Bore	Length	Bore	Length	Tread	ALCO	Price
(Inches)	(Inches)	(lbs)	Туре	(Inches)	(Inches)		(Inches)	Color	Part No.	Each
			Delrin	3/4	1-5/8	3/8	1-7/8	Grey	AL-17357	\$14.95
3	1½	250	Roller	3/4	1-5/8	3/8	1-7/8	Grey	AL-17358	\$14.95
Э	1/2	230	Delrin	3/4	1-5/8	1/2	2-7/16	Grey	AL-17359	\$12.95
			Roller	3/4	1-5/8	1/2	2-7/16	Grey	AL-17360	\$14.95
			Delrin	3/4	1-5/8	3/8	1-7/8	Grey	AL-17361	\$17.95
	1½	325	Roller	3/4	1-5/8	3/8	1-7/8	Grey	AL-17362	\$18.95
	1/2	325	Delrin	3/4	1-5/8	1/2	2-7/16	Grey	AL-17363	\$16.95
4			Roller	3/4	1-5/8	1/2	2-7/16	Grey	AL-17364	\$17.95
_	2	250	Delrin	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17365	\$17.95
	2	350	Roller	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17366	\$19.95
			Ball	1/2	2-7/16	_	_	Grey	AL-17366B	\$20.95
			Delrin	3/4	1-5/8	3/8	1-7/8	Grey	AL-17367	\$17.95
	1½	250	Roller	3/4	1-5/8	3/8	1-7/8	Grey	AL-17368	\$18.95
5	172	350	Delrin	3/4	1-5/8	1/2	2-7/16	Grey	AL-17369	\$17.95
-			Roller	3/4	1-5/8	1/2	2-7/16	Grey	AL-17370	\$18.95
			Delrin	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17371	\$17.95
	2	375	Roller	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17372	\$19.95
	_	010	Ball	1/2	2-7/16	_	_	Grey	AL-17372B	\$18.95
			Delrin	3/4	1-5/8	3/8	1-7/8	Grey	AL-17373	\$18.95
			Roller	3/4	1-5/8	3/8	1-7/8	Grey	AL-17374	\$19.95
•	1½	375	Delrin	3/4	1-5/8	1/2	2-7/16	Grey	AL-17375	\$18.95
6			Roller	3/4	1-5/8	1/2	2-7/16	Grey	AL-17376	\$19.95
			Delrin	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17377	\$20.95
	2	600	Roller	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17378	\$22.95
	-	500	Ball	1/2	2-7/16	_	_	Grey	AL-17378B	\$26.95
	41/		Delrin	3/4	1-5/8	1/2	2-7/16	Grey	AL-17379	\$23.95
	11/2	500	Roller	3/4	1-5/8	1/2	2-7/16	Grey	AL-17380	\$25.95
8			Delrin	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17381	\$27.95
	2	675	Roller	3/4	2-3/16	1/2	2-7/16	Grey*	AL-17382	\$28.95
		500	Ball	1/2	2-7/16	_	_	Grey	AL-17382B	\$30.95
40	21/		Delrin	1	3-1/4	3/4	3-1/2	Black	AL-17383	\$50.95
10	2 ½	1000	Roller	1	3-1/4	3/4	3-1/2	Black	AL-17384	\$50.95
40	2	1700	Delrin	1	3-1/4	3/4	3-1/2	Black	AL-17385	\$81.95
12	3	1700	Roller	1	3-1/4	3/4	3-1/2	Black	AL-17386	\$81.95
1	I				1	1	1			



*Grey Standard, Black Optional



Polyolefin Wheels by Colson Capacity up to 300 lbs Each

				Wheel					
Wheel	Tread	Load		Bearing	Hub	With B	ushing		
Dia	Width	Capacity	Bearing	Bore	Length	Bore	Length	ALCO	Price
(Inches)	(Inches)	(lbs)	Туре	(Inches)	(Inches)	(Inches)	(Inches)	Part No.	Each
2	7/8	100	Delrin	5/16	1-1/32	_	_	AL-17557	\$2.34
3	7/8	125	Delrin	7/16	1-1/32	5/16	1-7/64	AL-17560	\$4.95
	7/8	145	Delrin	7/16	1-1/32	5/16	1-7/64	AL-17566	\$8.95
5	1 ¹ ⁄ ₄	300	Delrin	1/2	1-7/16	3/8	1-1/2	AL-17567	\$9.95
	- / 4	300	Ball	3/8	1-1/2	_	—	AL-17568	\$14.95



Moldon Polyurethane (High Tech) Wheels by Colson Capacity up to 300 lbs Each

BUY 11 GET 1 FREE!



Polyurethane tread bonded to polyolefin core. Tread is precision molded and mechanically locked in, around and through a ribbed extension of the core to prevent debonding. Polyolefin core assures high impact strength and light weight. Standard colors are red tread on grey core. A very attractive, all-purpose wheel. Resistant to most chemicals, solvents, water and acids. Temperature range: -45°F to +180°F. Hardness: 55 (±5) Durometer Shore D scale. Spanner bushing included with wheel.

				Without Bushing		With E	Bushing		
Wheel Dia. (Inches)	Tread Width (Inches)	Load Capacity (Ibs)	Wheel Bearing Type	Bearing Bore (Inches)	Hub Length (Inches)	Bearing Bore (Inches)	Hub length (Inches)	ALCO Part No.	Price Each
2 ¹ / ₂	1¼	250	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-16393	\$16.62
∠ /2	I /4	250	Ball	3⁄8	1-1/2	-	-	AL-16394	\$16.62
3	7/8	100	Delrin	7/16	1-1/32	5⁄16	1-7⁄64	AL-16395	\$6.95
3 ½	1¼	250	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-16396	\$11.95
J/2	• /4	250	Ball	3⁄8	1-1/2	-	-	AL-16397	\$18.95
	7/8	125	Delrin	7⁄16	1-1/32	5⁄16	1-7⁄64	AL-16398	\$9.95
4	1 ¼	275	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-16399	\$14.95
	1/4	275	Ball	3⁄8	1-1/2	-	-	AL-16400	\$20.95
	7/8	140	Delrin	7⁄16	1-1/32	5⁄16	1-7⁄64	AL-16401	\$11.95
5	1 ¼	300	Delrin	1/2	1-7/16	3⁄8	1-1/2	AL-16402	\$18.95
	• 74	300	Ball	3⁄8	1-1/2	-	-	AL-16403	\$23.95

Moldon Polyurethane (High Tech) Wheels by Colson Capacity up to 1,700 lbs Each



Get

Industrial strength red polyurethane tread bonded to polyolefin core. Polyolefin core features unique "ribbed" design which adds strength for loads subjected to shock and hard impacts. Standard colors are red tread on grey core. Temperature range: -45°F to +180°F. Hardness: $55(\pm 5)$ Durometer Shore D scale. Not recommended for conditions of continuous operation such as tow-line, etc.

				Wh	eel	With B	ushing		
Wheel	Tread	Load		Bearing	Hub	Bearing	Hub		
Dia	Width	Capacity	Bearing	Bore	Length	Bore	Length	ALCO	Price
(Inches)	(Inches)	(lbs)	Туре	(Inches)	(Inches)	(Inches)	(Inches)	Part No.	Each
			Delrin	3/4	1-5/8	3/8	1-7/8	AL-17387	\$25.95
3	11/2	300	Roller	3/4	1-5/8	3/8	1-7/8	AL-17388	\$26.92
			Delrin	3/4	1-5/8	1/2	2-7/16	AL-17389	\$25.95
			Roller	3/4	1-5/8	1/2	2-7/16	AL-17390	\$25.95
			Delrin	3/4	1-5/8	3/8	1-7/8	AL-17391	\$20.95
			Roller	3/4	1-5/8	3/8	1-7/8	AL-17392	\$20.95
4	1½	400	Delrin	3/4	1-5/8	1/2	2-7/16	AL-17393	\$20.95
			Roller	3/4	1-5/8	1/2	2-7/16	AL-17394	\$20.95
	2	600	Delrin	3/4	2-3/16	1/2	2-7/16	AL-17395	\$30.95
	-	000	Roller	3/4	2-3/16	1/2	2-7/16	AL-17396	\$30.95
			Delrin	3/4	1-5/8	3/8	1-7/8	AL-17397	\$20.95
	1½	500	Roller	3/4	1-5/8	3/8	1-7/8	AL-17398	\$22.95
_	1/2	300	Delrin	3/4	1-5/8	1/2	2-7/16	AL-17399	\$21.95
5			Roller	3/4	1-5/8	1/2	2-7/16	AL-17400	\$23.95
	2	750	Delrin	3/4	2-3/16	1/2	2-7/16	AL-17401	\$21.95
	~	750	Roller	3/4	2-3/16	1/2	2-7/16	AL-17402	\$23.95
			Delrin	3/4	1-5/8	3/8	1-7/8	AL-17403	\$22.95
	1½	600	Roller	3/4	1-5/8	3/8	1-7/8	AL-17404	\$24.95
•	1/2	000	Delrin	3/4	1-5/8	1/2	2-7/16	AL-17405	\$24.95
6			Roller	3/4	1-5/8	1/2	2-7/16	AL-17406	\$25.95
	2	900	Delrin	3/4	2-3/16	1/2	2-7/16	AL-17407	\$22.95
	-	000	Roller	3/4	2-3/16	1/2	2-7/16	AL-17408	\$24.95
	1½	800	Delrin	3/4	1-5/8	1/2	2-7/16	AL-17409	\$27.95
0	∎ 72	000	Roller	3/4	1-5/8	1/2	2-7/16	AL-17410	\$28.95
8	2	1000	Delrin	3/4	2-3/16	1/2	2-7/16	AL-17411	\$32.95
	2	1000	Roller	3/4	2-3/16	1/2	2-7/16	AL-17412	\$33.95
10	2 ½	1200	Delrin	1	3-1/4	3/4	3-1/2	AL-17413	\$91.95
	L /2	1200	Roller	1	3-1/4	3/4	3-1/2	AL-17414	\$91.95
12	3	1700	Delrin	1	3-1/4	3/4	3-1/2	AL-17415	\$101.95
14	Ŭ		Roller	1	3-1/4	3/4	3-1/2	AL-17416	\$101.95

EP3





Welded Disc Rubber Tread Wheels

BUY 11 GET 1 FREE!

					Wh	Wheel		
Wheel Dia. (Inches)	Tread Width (Inches)	Wheel Type	Bearing	Load Capacity (Ibs)	Bearing Bore (Inches)	Hub Length (Inches)	ALCO Part No.	Price Each
3-1/2	1-1/4 1-1/4	Grey Rubber Black Rubber	Ball	200 200	3/8 3/8	1-5/8	AL-71938 AL-71939	\$16.95 \$14.95
5	1-1/4 1-1/4	Grey Rubber Black Rubber	Ball	200 200 200	3/8 3/8	1-5/8 1-5/8	AL-40488G N/A	\$22.95 N/A

Jarvis

All welded disc rubber tread wheels are of high quality non-marking rubber welded for appearance and N.S.F. approval. Black rubber tire is standard, unless grey is listed. Temperature range -40° to 160°F.

Welded Disc Polyurethane Tread Wheels



Size						Wh	eel		
	Wheel Dia.	Tread Width	Wheel		Load Capacity	Bearing Bore	Hub Length	ALCO	Price
Axle	(Inches)	(Inches)	Туре	Bearing	(lbs)	(Inches)	(Inches)	Part No.	Each
Specify	3-1/2	1-1/4	Blue Tread	Ball	250	3/8	1-5/8	AL-71945	\$14.95
)e	4	1-1/4	Blue Tread	Ball	275	3/8	1-5/8	AL-71946	\$19.95
ŝ	5	1-1/4	Blue Tread	Ball	300	3/8	1-5/8	AL-40512	\$22.95

This wheel series features a polyurethane tire molded to fit between two steel plated wheel discs. It provides maximum rollability, long life, and greater load capacity than regular rubber. It also resists corrosion, abrasion, damage from oils, grease or solvents. Temperature Range -30°F to 180°F.

High Temp Wheels—Best Buy

High Temp wheels handle extreme temperatures even under heavy loads -70° F to 525° F intermittent service

	Wheel	Tread			Whee	1		
11	Dia. (Inches)	Width (Inches)	Capacity Each	Bearing	Bearing Bore	Hub Length	ALCO Part No.	Price Each
	4	1 ¼	300	Plain	3/8"	1-5/8"	AL-57242	\$17.95
	5	1 ¼	300	Plain	3/8"	1-5/8"	AL-57243	\$18.95







693

Neoprene High Temperature Wheels by Darcor

🛯 Darcor 🕅

BUY 11 GET 1 FREE!

Features ✓ Durometer—Shore 62 "A" ✓ Mold-on wheels with a neoprene tread thermally bonded to a glass fiber reinforced nylon core





Neoprene Tread

Neoprene "Super Roll" Tread

		Neoprene Wh	eels Are	e Chem	ical Res	sistant		
Wheel Dia (inches)	Tread Width (inches)	Tread Material	Load Capacity (lbs)	Wheel Bearing Type	Bore Size	Hub Length	ALCO Part No.	Price Each
2	1	Neoprene Neoprene	75 150	Ball Ball	5/16" 5/16"	1-1/8" 1-1/8"	AL-57382 AL-57383	\$10.95 \$10.95
3	1	Neoprene	75	Ball	5/16"	1-1/8"	AL-57385	\$16.95
	1-3/8	Neoprene	200	Ball	3/8"	1-1/2"	AL-57386	\$25.95
	1-3/8	Neoprene	225	Ball	3/8"	1-3/4"	AL-57387	\$25.95
3-1/2	1-3/8	Neoprene	200	Ball	3/8"	1-1/2"	AL-57388	\$27.95
	1	Neoprene	75	Ball	5/16"	1-1/8"	AL-57389	\$21.95
4	1-3/8	Neoprene	225	Ball	3/8"	1-1/2"	AL-57390	\$33.95
	1-3/8	Neoprene	250	Ball	3/8"	1-3/4"	AL-57391	\$33.95
	2	Neoprene	500	Precision	1/2"	2-5/16"	AL-57393	\$45.95
5	1	Neoprene	75	Ball	5/16"	1-1/8"	AL-57394	\$27.95
	1-3/8	Neoprene	250	Ball	3/8"	1-1/2"	AL-57395	\$37.95
6	1-3/8	Neoprene	275	Ball	3/8"	1-3/4"	AL-57396	\$37.95
	2	Neoprene	550	Precision	1/2"	2-5/16"	AL-57398	\$56.95
	2	Neoprene	600	Precision	1/2"	2-5/16"	AL-57401	\$66.95
8	2	Neoprene	600	Precision	1/2"	2-5/16"	AL-57403	\$97.95
2-1/2	1	Neoprene-Super Roll	75	Ball	5/16"	<u>1-1/8"</u>	AL-57404	\$13.95
	1	Neoprene-Super Roll	150	Ball	5/16"	<u>1-1/8"</u>	AL-57405	\$13.95
	1-3/8	Neoprene-Super Roll	175	Ball	3/8"	1-1/2"	AL-57406	\$22.95
3-1/2	1-3/8	Neoprene-Super Roll	225	Ball	3/8"	<u>1-1/2"</u>	AL-57407	\$25.95
	1-3/8	Neoprene-Super Roll	225	Ball	3/8"	1-1/2"	AL-57408	\$27.95
4	1-3/8	Neoprene-Super Roll	300	Ball	3/8"	1-3/4"	AL-57409	\$27.95
5	1-3/8	Neoprene—Super Roll	275	Ball	3/8"	<u>1-1/2"</u>	AL-57410	\$33.95
	1-3/8	Neoprene—Super Roll	350	Ball	3/8"	1-3/4"	AL-57411	\$33.95
6	1-1/2	Neoprene-Super Roll	400	Ball	3/8"	1-3/4"	AL-57412	\$41.95



Phone 800-323-4282 • 630-655-1900 FAX 800-950-1167 • 630-655-1990

E-mail: info@alcosales.com Website: www.alcosales.com EP3



Jarvis Advantage Replacement Wheels BUY 11 GET 1 FREE!

Advantage Medium Duty Wheels

Advantage special modulus tread material offers performance levels that exceed other tread materials in many ways. It offers superior reliability and maneuverability, factors important handling of heavy or bulky loads. It carries large loads while greatly reducing unsightly marking and scuffing of floors. It stands up to virtually all common cleaners and solvents, acids and oils. It is durable through hundreds of washing cycles.

Temperature Range: -40F to 180F Hardness: 65 ± 5 SHORE A





			Grey	[,] Flat Trea	ad		
Wheel Dia. (Inches)	Flat Tread Width (Inches)	Wheel Bearing Type	Hub Width (Inches)	Bore I.D. (Inches)	Load Capacity (Ibs)	ALCO Part No.	Price Each
3 ¹ ⁄ ₂	1 ¹ ⁄4	Ball	1-5/8	3⁄8	225	AL-57311	\$10.95
	- / ·	Delrin	1-1/2	1/2	225	AL-57312	\$10.95
	1 ¹ ⁄4	Ball	1-5/8	3⁄8	300	AL-57313	\$11.95
4	• / •	Delrin	1-1/2	1/2	300	AL-57314	\$11.95
	2	Roller	2-3/8	3/4	350	AL-57325	\$18.95
	-	Delrin	2-3/8	3/4	350	AL-57326	\$20.95
5	1 ¹ ⁄ ₄	Ball	1-5/8	3⁄8	325	AL-57315	\$11.95
	∎ /4	Delrin	1-1/2	1/2	325	AL-57316	\$11.95
	1 ¹ ⁄ ₂	Roller	2	3/4	350	AL-57327	\$18.95
	1 /2	Delrin	2	3/4	350	AL-57328	\$17.95
	2	Roller	2-3/8	3/4	375	AL-57329	\$27.95
		Delrin	2-3/8	3/4	375	AL-57330	\$25.95
	1 ¹ ⁄ ₂	Roller	2	3/4	375	AL-57331	\$30.95
6	1 /2	Delrin	2	3/4	375	AL-57332	\$25.95
•	2	Roller	2-3/8	3/4	600	AL-57333	\$27.95
	2	Delrin	2-3/8	3/4	600	AL-57334	\$24.95
		Roller	2	3/4	500	AL-57335	\$29.95
8	1 ¹ / ₂	Ball	2-1/4	3/4	500	AL-57336	\$35.95
	• /2	Delrin	2	3/4	500	AL-57337	\$28.95
	2	Roller	2-3/8	3/4	675	AL-57338	\$40.95
	2	Delrin	2-3/8	3/4	675	AL-57339	\$40.95



EP3

		Gı	rey F	Round Tr	ead		
Wheel Dia. (Inches)	Round Tread Width (Inches)	Wheel Bearing Type	Hub Width (Inches)	Bore Size (Inches)	Load Capacity (Ibs)	ALCO Part No.	Price Each
3 ¹ /2	1 ¹ ⁄4	Ball	1-5/8	3⁄8	225	AL-57317	\$10.95
J /2	∎ /4	Delrin	1-1/2	1/2	225	AL-57318	\$10.95
4	1 ¹ ⁄4	Ball	1-5/8	3⁄8	250	AL-57319	\$11.95
	∎ /4	Delrin	1-1/2	1/2	250	AL-57320	\$11.95
5	1 ¹ ⁄4	Ball	1-5/8	3⁄8	250	AL-57321	\$14.95
J	∎ /4	Delrin	1-1/2	1/2	250	AL-57322	\$11.95
	1 ¹ ⁄4	Ball	1-5/8	3⁄8	300	AL-57323	\$12.95
	∎ /4	Delrin	1-1/2	1/2	300	AL-57324	\$12.95
6		Ball	2-3/8	3/4	450	AL-57340	\$24.95
	2	Roller	2-3/8	3/4	450	AL-71860	\$29.95
		Delrin	2-3/8	3/4	450	AL-57341	\$20.95
		Ball	2-3/8	3/4	500	AL-57342	\$23.95
8	2	Roller	2-3/8	3/4	500	AL-71861	\$26.95
		Delrin	2-3/8	3/4	500	AL-57343	\$40.95

Grey Rubber is Quiet and Non-marking





Wheels by Shepherd BUY 11 GET 1 FREE!

equipment, cargo and floors while reducing noise

Load

Capacity

. (lbs)

120

150

160

Load

Capacity

(lbs)

80

90 110

125

130

Tire Tread

Material

Grey

Grey Grey

Tire Tread

Material

Grey

Grey

Grey

Grey

Grey

Bearing

Plain

Plain

Plain

Axle

Size

1/4"

1/4'

1/4"

5/16

5/16"

Axle

Size

1/4'

5/16"

5/16"

Hub

Length

.900"

.900'

1.000"

1.15

1.15"

Hub

Length

1.01'

1.18

1.18"

ALCO

Part No.

AL-57280

AL-57281 AL-57282

AL-57283

AL-57284

Resistant to most chemicals and oils

Tread

Width

(Inches)

15/16

1

1

Tread

Width

(Inches)

13/16

13/16

13/16

15/16

1

Grey Thermoplastic Rubber—Flat Tread

Wheel

Dia.

5



ALCO

Part No.

AL-57276

AL-57277

AL-57278

Price

Each

\$2.95

\$3.95 \$3.95

\$3.95

\$4.95

Price

Each

\$3.95 \$5.95

\$7.95











Grey Polyurethane Tread

5

High-grade polyurethane tread for extended wear

Protects floors and resists oils and chemicals
 Mechanically interlocked tread eliminates separation

Wheel Dia. (Inches)	Tread Width (Inches)	Load Capacity (Ibs)	Tire Tread Material	Axle Size	Hub Length	ALCO Part No.	Price Each
2	13/16	100	Grey	1/4"	.900"	AL-57285	\$1.95
2-1/2	13/16	120	Grey	1/4"	.900"	AL-57286	\$2.95
3	13/16	125	Grey	1/4"	1.000"	AL-57287	\$3.95
4	15/16	150	Grey	5/16"	1.15"	AL-57288	\$4.95
5	1	150	Grey	5/16"	1.15"	AL-57289	\$4.95



Black Soft Rubber

Offers quiet mobility on hard surfaces

Combines a cushioned ride with maximum floor protection

Nylon bushing for better rollability

Non-marking

Wheel Dia. (Inches)	Tread Width (Inches)	Load Capacity (Ibs)	Tire Tread Material	Axle Size	Hub Length	ALCO Part No.	Price Each
1-5/8	23/32	70	Black	7/32"	.77"	AL-57290	\$1.95
2	13/16	80	Black	1/4"	.92"	AL-57291	\$1.95
2-1/2	13/16	90	Black	1/4"	.92"	AL-57292	\$2.95
3	13/16	110	Black	1/4"	.99"	AL-57293	\$2.95
4	15/16	125	Black	5/16"	1.15"	AL-57294	\$3.95
5	15/16	130	Black	5/16"	1.15"	AL-57295	\$4.95



Copyright, 1985, 1986, 1987, 1988, 1989, 1990, 1991, 1992, 1993, 1994, 1995, 1996, 1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017 by ALCO Sales & Service Company. All rights reserved. No portion of this publication may be reproduced without the express written consent of ALCO Sales & Service Company.

EP3



Wheels by Shepherd **BUY 11 GET 1 FREE!**





Vipor Wheels

High Tech transparent look

Constructed of a special Vipor material that is highly resistant to most chemicals and oils

Plain bore bearing

Wheel Diameter (Inches)		•	Load Capacity (Ibs)	Tread Type	Hub Length	Axle Hole Dia.	ALCO Part No.	Price Each
3	7/8	Plain	120	Vipor	.99"	1/4"	AL-63971	\$4.95
6	1-1/4	Ball	300	Vipor	1.59"	3/8"	AL-71917	\$11.95

Precision Bearing (Thermoplastic Rubber) ✓ Soft durometer offers quiet mobility

Mechanically bonded tread eliminates separation

Excellent resistance to oils and chemicals



Wheel Diameter (Inches)	Tread Width (Inches)	Bearing Type	Hub Length	Axle Hole Dia.	Load Capacity (Ibs)	ALCO Part No.	Price Each
3	1-1/4	Precision	1-5/8"	3/8"	210	AL-64272	\$5.95
4	1-1/4	Precision	1-5/8"	3/8"	260	AL-64273	\$6.95
5	1-1/4	Precision	1-5/8"	3/8"	280	AL-64274	\$7.95
6	1-1/4	Precision	1-5/8"	3/8"	300	AL-71918	\$11.95

Ball Bearing (Thermoplastic Rubber)

Thermoplastic rubber tread offers resistance to oils and chemicals

✓ Soft durometer offers quiet mobility

Mechanically bonded tread eliminates separation and is very durable

0	

EP3

Plastic t	 Plastic thread guards standard on 4" and 5" models 											
Wheel Diameter (Inches)	Tread Width (Inches)	Bearing Type	Hub Length	Axle Hole Dia.	Load Capacity (Ibs)	ALCO Part No.	Price Each					
3	1-1/4	Ball	1-5/8"	3/8"	165	AL-55558	\$5.95					
4	1-1/4	Ball	1-5/8"	3/8"	185	AL-55559	\$6.95					
5	1-1/4	Ball	1-5/8"	3/8"	200	AL-55560	\$7.95					

Grey Rubber—Round or Flat Tread

Constructed of a special mix of monoprene that rejects almost every type of floor debris

Soft durometer allows maximum shock absorption and cushions ride

Wheel							Round ⁻	Tread	Flat Trea	ad
Diameter	Width	Capacity	Bearing	Thread	Axle	Hub	ALCO	Price	ALCO	Price
(Inches)	(Inches)	(lbs)	Туре	Guard	Size	Length	Part No.	Each	Part No.	Each
4	1-1/4	250	Precision Ball	Partial	3/8"	1-5/8"	AL-71921R	\$7.95	AL-71921F	\$7.95
4	1-1/4	250	Delrin	None	1/2"	1-1/2"	AL-71922R	\$6.95	AL-71922F	\$6.95
5	1-1/4	300	Precision Ball	Partial	3/8"	1-5/8"	AL-71923R	\$7.95	AL-71923F	\$7.95
J J	1-1/4	300	Delrin	None	1/2"	1-1/2"	AL-71924R	\$6.95	AL-71924F	\$6.95
6	1-1/4	325	Precision Ball	Partial	3/8"	1-5/8"	AL-71925R	\$7.95	N/A	N/A
l v	1-1/4	325	Delrin	None	1/2"	1-1/2"	AL-71926R	\$7.95	N/A	N/A

Polyurethane (TPU)

Protects floors and resists oils and chemicals

Mechanically bonded tread eliminates separation

Plastic thread guards standard



Wheel Diameter (Inches)	Tread Width (Inches)	Bearing Type	Hub Length	Axle Hole Dia.	Load Capacity (lbs)	ALCO Part No.	Price Each
3	1-1/4	Ball	1-5/8"	3/8"	185	AL-55561	\$5.95
4	1-1/4	Ball	1-5/8"	3/8"	200	AL-55562	\$6.95
5	1-1/4	Ball	1-5/8"	3/8"	225	AL-55563	\$7.95
6	1-1/4	Precision	1-5/8	3/8"	300	AL-71919	\$12.95



Rubber & Polyurethane Wheels—Best Buy BUY 11 GET 1 FREE!



EP3

Price

Each

\$7.95

\$8.95 \$8.95

\$8.95

\$8.95



Wheel Diameter (Inches)	Tread Width (Inches)	Hub Length (Inches)	Bearing Size (Inches)	Bearing Type	Load Capacity (Ibs)	ALCO Part No.	Price Each
3 ½	1 ¼	1-1/2	3⁄8	Ball	225	AL-52788	\$7.95
4	1¼	1-1/2	3⁄8	Ball	250	AL-52789	\$9.95
-	2	2-3/16	3/4	Roller	300	AL-52791	\$18.85
5	1¼	1-1/2	3⁄8	Ball	250	AL-52790	\$10.95
3	2	2-3/16	3/4	Roller	350	AL-52792	\$18.95
6	2	2-3/16	3/4	Roller	410	AL-52793	\$20.95
8	2	2-3/16	3/4	Roller	500	AL-52794	\$21.95

Rubber Tread Wheel w/Polyolefin Core



Rubber Tread Wheel w/Aluminum Center

Wheel Diameter (Inches)	Tread Width (Inches)	Hub Length (Inches)	Bearing Size (Inches)	Bearing Type	Load Capacity (Ibs)	Tread Color	ALCO Part No.	Price Each
3 ½	1 ¼	1-1/2	3⁄8	Ball	225	Grey	AL-41359	\$8.95
4	1 ¼	1-1/2	3⁄8	Ball	250	Grey	AL-41360	\$9.95
5	1 ¼	1-1/2	3⁄8	Ball	250	Grey	AL-41361	\$11.95
6	2	2-3/16	3/4 or 1/2	Roller	410	Black	AL-41362	\$20.95
8	2	2-3⁄16	3/4 or 1/2	Roller	500	Black	AL-41363	\$26.95

AL-41361

Polyurethane Tread Wheel w/Polyolefin Center



Wheel Diameter (Inches)	Hub Length (Inches)	Bearing Type	Bearing Size (Inches)	Load Capacity (Ibs)	ALCO Part No.	Price Each
4 x 2	2 ³ / ₁₆	Delrin	1-3/16	600	AL-78299D	\$5.95
4 ^ 2	4 716	Roller	1-3/16	600	AL-78299R	\$5.95
5 x 2	2 ³ / ₁₆	Delrin	1-3/16	750	AL-78300D	\$7.95
	~ 716	Roller	1-3/16	750	AL-78300R	\$7.95
6 x 2	2 ³ ⁄ ₁₆	Delrin	1-3/16	900	AL-78301D	\$8.95
0 ^ 2	4 716	Roller	1-3/16	900	AL-78301R	\$8.95
8 x 2	2 ³ ⁄ ₁₆	Delrin	1-3/16	1000	AL-78302D	\$11.95
0 ^ 2	4 716	Roller	1-3/16	1000	AL-78302R	\$11.95



Polyurethane Tread Wheel w/Plastic Center

Wheel Diameter (Inches)	Tread Width (Inches)	Hub Length (Inches)	Bearing Size (Inches)	Bearing Type	Load Capacity (Ibs)	ALCO Part No.
3	11⁄4	1 5⁄ ₈	3/8	Ball	220	AL-52787
4	1 ¹ / ₄	15%	5/16	Ball	230	AL-41380
	• /4	■78	3/8	Ball	230	AL-41381
5	1 1⁄ ₄	15%	5/16	Ball	250	AL-41382
3	• /4	■ /8	3/8	Ball	250	AL-41383





Wheel Tread Hub Bearing Load Diameter (Inches) ALCO Part No. Width (Inches) Length (Inches) Size (Inches) Bearing Type Capacity (lbs) Price Each \$12.95 \$13.95 \$17.95 \$23.95 AL-64982 AL-64983 2-1/4 2-1/4 600 800 1/2 1/2 Precision Δ Precision 5 2 2-1/4 2-1/4 1/2 Precision 1000 AL-64984 2 6 8 2 1/2 Precision 1200 AL-64985

AL-64983



Grey Rubber Wheels—Best Buy BUY 11 GET 1 FREE!

Features

- TPE (Thermoplastic Elastomer) tread on plastic core
- Standard color is grey Soft cushion ride with a non-marking
- tread Floor protection, annular ball bearing
- for easy rolling Durometer, 60 ±5 shore A

Wheel

Dia.

(Inches)

3

3½

4

5

4

5

6

8

Tread

Width

(Inches)

1¹⁄₄

1¹/₄

1¹/₄

1¹⁄₄

2

2

2

2

Load

Capacity

. (lbs)

225

850

Delrin or ball bearing



AL-57423

Wheel

Bearing

Туре

Ball







Price

Each

N/A

AL-57436 \$21.95

With Delrin Bearing Hub Bore Length Size ALCO Price ALCO (Inches) (Inches) Tread Part No. Each Part No. 1-1/2 3⁄8 Flat AL-57413 \$5.95 N/A

AL-57435

\$21.95

250	Ball	1-1/2	3⁄8	Flat	AL-57415	\$6.95	N/A	N/A
300	Ball	1-1/2	3⁄8	Flat	AL-57417	\$7.95	N/A	N/A
325	Ball	1-1/2	3⁄8	Flat	AL-57423	\$8.95	N/A	N/A
700	Roller	2-3/16	1/2	Round	AL-57419	\$14.95	AL-57420	\$14.95
700	Roller	2-3/16	1/2	Flat	AL-57421	\$14.95	AL-57422	\$14.95
800	Roller	2-3/16	1/2	Round	AL-57425	\$14.95	AL-57426	\$14.95
800	Roller	2-3/16	1/2	Flat	AL-57427	\$14.95	AL-57428	\$14.95
800	Roller	2-3/16	1/2	Round	AL-57429	\$17.95	AL-57430	\$17.95
000	Roller	2-3/16	1/2	Flat	AL-57431	\$17.95	AL-57432	\$17.95
950	Roller	2-3/16	1/2	Round	AL-57433	\$21.95	AL-57434	\$21.95

Polyurethane Wheels—Best Buy

1/2

Flat

Roller

Features
 Polyurethane tread on plastic core construction
 Tread guards available for bearing protection
 Roller bearing for easy handling of heavy loads
 Durometer, 95 ±5 shore A

2-3/16

- Tread mechanically locked on
- Floor protection, cushioned ride, shock absorbent



EP3



Ball bearing for easy rolling									
Wheel Dia. (Inches)	Tread Width (Inches)	Wheel Bearing Type	Hub Length (Inches)	Bore Size (Inches)	Load Capacity (Ibs)	ALCO Part No.	Price Each		
3	1 ¹ / ₄	Ball	1-9/16	3⁄8	220	AL-57437	\$7.95		
3 ¹ ⁄ ₂	1 ¹ ⁄4	Ball	1-5/8	3⁄8	260	AL-57438	\$7.95		
4	1 ¹ ⁄ ₄	Ball	1-5/8	3⁄8	275	AL-57440	\$8.95		
	∎ /4	Delrin	1-5/8	3⁄8	275	AL-57441	\$8.95		
5	1 ¹ ⁄4	Ball	1-5/8	3⁄8	300	AL-57442	\$8.95		
5	∎ /4	Delrin	1-5/8	3⁄8	300	AL-57443	\$8.95		
4	2	Delrin	2-3/16	1-3/16	660	AL-57444	\$12.95		
4	2	Roller	2-3/16	1/2	660	AL-57445	Each \$7.95 \$7.95 \$8.95 \$8.95 \$8.95 \$8.95		
5	2	Delrin	2-3/16	1-3/16	770	AL-57446	\$13.95		
3	4	Roller	2-3/16	1/2	770	AL-57447	\$13.95		
6	2	Delrin	2-3/16	1-3/16	900	AL-57448	\$17.95		
U	4	Roller	2-3/16	1/2	900	AL-57449	\$17.95		
8	2	Delrin	2-3/16	1-3/16	1000	AL-57450	\$26.95		
0	2	Roller	2-3/16	1/2	1000	AL-57451	\$26.95		

5" Wheel AL-57442

