

# **Stretchers**

## **Drop-Under Siderails**

700 lb. Capacity







850 lb. Capacity



★ Pneumatic backrest

★ Stainless steel recessed litter

"Posi-Lock" braking system

"Accu-steer" dual fifth wheel steering

★ 4 corner access brake/steer pedals ★ Raise/lower pedals-4 side access

★ Includes 4" radiolucent pad

★ Easy clean base with integrated storage ★ Tente 8" all surface, 4-wheel central lock casters

★ Heavy-duty hydraulic pump

★ Built-in O2 holder

★ Bumper accent color available at no charge!

#### LIFETIME EXTENDED WARRANTY

★ Frame: Lifetime

★ Components: 5 years

700 lbs. Drop-Under Rail	AL-85569B
850 lbs. Drop-Under Rail	AL-85569C

#### Options:

•		
Folding, Permanent IV Pole	AL-85571	
Removable IV Pole	AL-85572	
Vertical O2 Holder	AL-85573	
Viscolastic Mattress Upgrade	AL-85574	
Crank Knee Gatch (Std)	AL-85575A	Call
Crank Knee Gatch (Bari)	AL-85575C	Call
Power Backrest	AL-85576	
Push/Pull Handles (Set)	AL-85577	
Power Knee Gatch	AL-85578	
Crank Backrest	AL-85579	

#### **HIGHEST**

**INSTITUTIONAL QUALITY** 

Easiest steering of any stretcher manufactured today

SPECIFICATIONS		
	700 lb. Cap	850 lb. Cap
Total Dimensions	81"L x 32½"W	81"L x 35½"W
Hydraulic Height	22" to 35½"	22" to 32"
Recessed Litter	81" x 28½"	81" x 32"
Drop-Under Rail	75" x 12½"	75" x 16"
Pad Size	4" x 29" x 78"	4" x 32" x 78"



**BUMPER ACCENT COLORS** AVAILABLE! NO CHARGE UPGRADE















# **Stretchers**

### **Fold-Under Siderails**



SPECIFICATIONS		
Total Dimensions	81"L x 32½"W	
Hydraulic Height	22" to 351/2"	
Recessed Litter	81" x 28½"	
Fold-Rail	60½" x 12½"	



- ★ Pneumatic backrest
- ★ Stainless steel recessed litter
- ★ "Posi-Lock" braking system★ "Accu-steer" dual fifth wheel steering
- ★ 4 corner access brake/steer pedals
- ★ Raise/lower pedals-4 side access ★ Includes 4" radiolucent pad
- ★ Easy clean base with integrated storage
- ★ Tente 8" all surface, 4-wheel central lock casters
- ★ Heavy-duty hydraulic pump
- ★ Built-in O2 holder
- ★ Bumper accent color available at no charge!

#### LIFETIME EXTENDED WARRANTY

- ★ Frame: Lifetime
- ★ Components: 5 years

700 lbs. Fold-Rail AL-85569A Call

#### Ontions

Options.	
Folding, Permanent IV Pole	AL-85571
Removable IV Pole	AL-85572
Vertical O2 Holder	AL-85573
Viscolastic Mattress Upgrade	AL-85574
Crank Knee Gatch (Std)	AL-85575A
Crank Knee Gatch (Bari)	AL-85575C
Power Backrest	AL-85576
Push/Pull Handles (Set)	AL-85577
Power Knee Gatch	AL-85578
Crank Backrest	AL-85579

Call

### **HIGHEST INSTITUTIONAL QUALITY**

## Trauma & X-Ray

- ★ For use in Trauma & X-Ray environments
- Equipped with a fibre resin film surface & high density radiolucent mattress
- ★ Total-view design, with full surface
- ★ Zero clearance, collapsing siderails
- ★ Stainless steel recessed litter
- ★ "Posi-Lock" braking system
  ★ "Accu-steer" dual fifth wheel steering
- ★ 4 corner access brake/steer pedals
- ★ Raise/lower pedals-4 side access
- ★ Includes pad
- ★ Easy clean base with integrated storage
- ★ Tente 8" all surface, 4-wheel central lock casters
- ★ Heavy-duty hydraulic pump
- ★ Built-in O2 holder
- ★ Bumper accent color available at no charge!

#### LIFETIME EXTENDED WARRANTY

- ★ Frame: Lifetime
- ★ Components: 5 years





700 lb. Capacity

SPECIFICATIONS	
Total Dimensions	81"L x 32½"W
Hydraulic Height	22" to 35½"
Recessed Litter	81" x 28½"
Siderails	60½" x 12½"

700 lbs. AL-85570 Call





# **Stretchers**

## Morgue/Cadaver

★ Mint green vinyl covered canopy with flap access for personal belongings

Light weight removable canopy frame

Stainless steel recessed litter

★ "Posi-Lock" braking system
★ "Accu-steer" dual fifth wheel steering
★ 4 corner access brake/steer pedals

★ Raise/lower pedals-2 side access

★ Mint green wraparound bumper & accents

★ Easy clean base with integrated storage ★ Tente 8" all surface, 4-wheel central lock

casters

#### LIFETIME EXTENDED WARRANTY

★ Frame: Lifetime

★ Components: 5 years

700 lbs. AL-58229-700 AL-58229-850 850 lbs.

Call

Up to 850 lb. Capacity

SPECIFICATIONS		
	700 lb. Cap	850 lb. Cap
Total Dimensions	78"L x 29"W	81"L x 32"W
Hydraulic Height	22" to 35½"	22" to 32"
Recessed Litter	77" x 29"	80" x 32"
Canopy	76" x 28" x 14"	80" x 32" x 24"

Department or Facility ID's available at NO Charge!

### **HIGHEST INSTITUTIONAL QUALITY**

**BUMPER ACCENT COLORS** AVAILABLE! NO CHARGE UPGRADE

















### **HIGHEST INSTITUTIONAL QUALITY**

## **Gynecology**





SPECIFICATIONS		
Total Dimensions	78"L x 32½"W	
Hydraulic Height	24" to 361/2"	
Siderails	48" x 12"	
Sectional Mattress	74" x 26" x 4"	



- ★ Equipped with a two-piece sectional, viscoelastic mattress for use in obstetrics & gynecology
- ★ Durable chassis, equipped with collapsing siderails for unobstructed access for medical
- professionals
  ★ Sliding top deck transitions from a stretcher to a chair, supine to full chair positioning
- Integrated, adjustable heel stirrups
- ★ Zero clearance, collapsing siderails
- ★ Stainless steel recessed litter
- ★ "Posi-Lock" braking system

  ★ "Accu-steer" dual fifth wheel steering
- ★ 4 corner access brake/steer pedals
- ★ Raise/lower pedals-4 side access
- ★ Tente 8" all surface, 4-wheel central lock casters
- ★ Bumper accent color available at no charge!

#### LIFETIME EXTENDED WARRANTY

- ★ Frame: Lifetime
- ★ Components: 5 years

AL-85580 300 lbs. Call



# **Reconditioned Stretchers**

## **Reconditioning Process:**

- All frames are visually inspected for bent or broken parts (any bent/broken parts are repaired/replaced so that operating features function properly)
- 2. Frames are completely disassembled
- Frames are cleaned. All stickers and/or decals are removed, if necessary
- 4. Frames, arm rails and pans (if applicable) are sanded completely in a separate room
- Frames and parts are then cleaned again to remove any dust or dirt
- Frames, arm rails and pans are painted in a professional paint booth. They are baked dry and then left to dry for 24 hours

**Reconditioned Stretchers** 

- Frames are then reassembled to include the following NEW parts, if necessary:
  - OEM Casters
  - · Plastic wheel covers and arm rail plastics
  - Head/footboards with your choice of inserts in each, when applicable
  - Labels and/or decals
  - · Motor capacitors and couplers are replaced
- 8. Circuit boards are tested and repaired with 1 year replacement warranty
- A final inspection of the products operating features are rechecked and electrical safety tested to ensure the product is performing to manufacturer's standards
- Products are shipped wrapped in protective plastic; Blanket wrapped and can be positioned in custom stands for stability. Head/footboards are shipped unattached to the frames

Call for pricing!





ALCO Sales & Service Co.

www.alcosales.com ♦ 800.323.4282